

LUNA TRADE CATALOGUE

MOTORISED CURTAIN & BLIND SYSTEMS

✦ WHERE IT MATTERS



CONTENTS

05	PRODUCT RANGE OVERVIEW
07	LUNA GLIDE TRACK MOTOR RANGE
10	LUNA BELT TRACK MOTOR RANGE
20	LUNA ROLL TUBULAR MOTOR RANGE
30	SMART HOME MODULES
34	LUNA ACCESSORIES



EFFORTLESS AUTOMATION. ELEVATED LIVING.

Luna Technology creates premium motorised blinds and curtains designed to make everyday living effortless.

Backed by over 25 years in the window furnishings industry, we combine smart innovation, refined design, and dependable local support.

Designed and engineered in Australia. Made to fit your lifestyle.



PRODUCT RANGE OVERVIEW

CURTAINS



**LUNA GLIDE
CURTAIN TRACK
MOTOR**

APPLICATION
Sheer Curtains

KEY CAPACITY
Max. Weight: 12 kg
Max. Track Width: 6 M
Max. Height: 3 M



**LUNA BELT
CURTAIN MOTOR
BATTERY**

APPLICATION
Sheer Curtains
Blockout Curtains

KEY CAPACITY
Max. Weight: 45 kg
Max. Track Width: 15 M
Max. Height: 3 M



**LUNA BELT
CURTAIN MOTOR
HARDWIRED**

APPLICATION
Sheer Curtains
Blockout Curtains
High Void Curtains

KEY CAPACITY
Max. Weight: 45 kg
Max. Track Width: 15 M
Max. Height: Unlimited

ROLLER BLINDS



**LUNA ROLL
TUBULAR MOTOR
28MM BATTERY MK1**

APPLICATION
Small-Medium Scale
Roller Blinds

KEY CAPACITY
Max. Capacity: 6 SQM
Max. Kg: 3.5KG



**LUNA ROLL
TUBULAR MOTOR
28MM BATTERY MK2**

APPLICATION
Medium-Large Scale
Roller Blinds

KEY CAPACITY
Max. Capacity: 10 SQM
Max. Kg: 6KG



**LUNA ROLL ULTRA
TUBULAR MOTOR
32MM BATTERY**

APPLICATION
Large-Extra Large Scale
Roller Blinds

KEY CAPACITY
Max. Capacity: 15 SQM
Max. Kg: 9KG



**LUNA ROLL ULTRA
TUBULAR MOTOR
32MM HARDWIRED**

APPLICATION
Large-Extra Large Scale
Roller Blinds

KEY CAPACITY
Max. Capacity: 15 SQM
Max. Kg: 9KG

LUNA GLIDE TRACK MOTOR


The Luna Glide is a motorisation solution for lightweight sheer curtains, that integrates with a standard curtain track. Positions between the first two carriers of the curtain track, ensuring an easy, quick and seamless installation process.



SKU	DESCRIPTION
L-GTM	Lunas Glide Track Motor

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	10 W
Linear Speed	10 cm/s
Max. Track Width - One Way	4 Metre
Max. Track Width - Center Open	6.4 Metre
Max. Curtain Weight (Typ.)	12 KG

DIMENSIONS



LUNA GLIDE TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	L-GTM	Luna Glide Track Motor	EACH	25
	L-CSBLK	Luna Cover Sock - Black	EACH	25
	L-CSGR	Luna Cover Sock - Grey	EACH	25
	J2104S-P-60BLACK	Linked Carriers With Wheel For Stud - 60 mm Spacing- Black 50 m Roll (80% Fullness)	ROLL	1
	J2104S-P-60WHITE	Linked Carriers With Wheel For Stud - 60 mm Spacing- white 50 m Roll (80% Fullness)	ROLL	1
	302-001	Luna 3M - USB C Charger	EACH	25

LUNA GLIDE TRACK MOTOR - SUITABLE TRACKS



KPS K51 Standard Track



KPS Vogue Standard Track



KPS Vogue 35 Track

LUNA BELT TRACK CURTAIN MOTOR - BATTERY


Perfect for blackout curtains under 3 m where charging is easily accessible, the Luna Belt Battery delivers strong, dependable performance in a compact motorised system.



SKU	DESCRIPTION
T500-52	Luna Belt Track Curtain Motor - Battery

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	35 W
Linear Speed	15 cm/s
Max. Track Width (Typ.)	15 Metre
Max. Curtain Weight (Typ.)	45 KG

DIMENSIONS



LUNA BELT TRACK CURTAIN MOTOR - HARDWIRED


The Luna Belt Hardwired is designed for large-scale motorised curtain applications, effortlessly carrying up to 45kg of fabric. It is the go-to solution for high void motorised curtains, offering power, flexibility, and seamless integration.



SKU	DESCRIPTION
TD20-HD	Luna Belt Track Curtain Motor - Hardwired

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	35 W
Linear Speed	15 cm/s
Max. Track Width (Typ.)	15 Metre
Max. Curtain Weight (Typ.)	45 KG

DIMENSIONS




LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	T500-52	Luna Belt track Curtain Motor - Battery	EACH	20
	TD20-HD	Luna Belt track Curtain Motor - Hardwired	EACH	20
	302-007	Hardwired Molex Cable	EACH	20
	302-001	Luna 3m - USB C Charger	EACH	25


LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	2002-00/WH	Luna Belt Track 6.4 M - White (electroplated)	LENGTH	10
	2002-00/BL	Luna Belt Track 6.4 M - Black (electroplated)	LENGTH	10
	2002-002WH	Luna Belt End Pulley Motor System - White	EACH	10
	2002-002BL	Luna Belt End Pulley Motor System - Black	EACH	10
	2002-010-WH	Luna End Pulley Cover - White	EACH	10
	2002-010-BL	Luna End Pulley Cover - Black	EACH	10


LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	L-J0416-S	Luna End Cap End Pulley	EACH	50
	2002-005B	Luna Belt (Green) 100M Roll	ROLL	1
	2002-003	Luna Master Carrier Set	SET	10
	2002-006	Luna Straight One Way + Center Open Arm	EACH	10
	2002-007	Luna Wave Fold One Way Arm	EACH	10

LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	2002-008	Luna Wave Fold Center Open Arm	EACH	10
	2002-009	Luna S.Fold For Stud One Way Arm	EACH	10
	2002-0010	Luna S.Fold For Stud Center Open Arm	EACH	10
	2002-004	Luna Swivel Carrier for Bends	EACH	10
	202-009-WH	Luna Track Connector - White	EACH	10





LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	202-009-BL	Luna Track Connector - Black	EACH	10
	202-009-HD-WH	Luna Track Connector Heavy Duty - White	EACH	10
	202-009-HD-BL	Luna Track Connector Heavy Duty - Black	EACH	10
	202-006-WH	Luna Fabric Return Clip - White	EACH	100
	202-006-BL	Luna Fabric Return Clip - Black	EACH	100
	202-007-WH	Luna End Pulley Cover - White	EACH	100
	202-007-BL	Luna End Pulley Cover - Black	EACH	100

LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

SKU	DESCRIPTION		UOM	BOX QTY
	L-J0390-54-WH	Luna Wheel Carrier 54 - White	ROLL	1
	L-J0390-54-BL	Luna Wheel Carrier 54 - Black	ROLL	1
	L-J0390-60-WH	Luna Wheel Carrier 60 - White	ROLL	1
	L-J0390-60-BL	Luna Wheel Carrier 60 - Black	ROLL	1
	STO12	Luna Soft Wheel Carrier	EACH	200
	STO51	Luna HD ZP End Stop	EACH	100

LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	J2829-1NCM-WHITE	K51 Bracket Without Camlock Single - White	EACH	25
	J2729-1NCM-WHITE	K51 Bracket Without Camlock Double - White	EACH	25
	J2629-1NCM-WHITE	K51 Bracket Without Camlock Extra Double - White	EACH	25
	J2829-1NCM-BLACK	K51 Bracket Without Camlock Single - Black	EACH	25
	J2729-1NCM-BLACK	K51 Bracket Without Camlock Double - Black	EACH	25
	J2629-1NCM-BLACK	K51 Bracket Without Camlock Extra Double - Black	EACH	25


LUNA BELT TRACK MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	L0021-WH	Luna Camlock Ceiling Bracket - White	EACH	100
	L0021-BL	Luna Camlock Ceiling Bracket - Black	EACH	100
	J0172-WH	Luna Cover for Camlock Ceiling - White	EACH	500
	J0172-BL	Luna Cover for Camlock Ceiling - Black	EACH	500
	202-004	Luna Ceiling Bracket - White	EACH	100
	PA05-1000	Luna Wave Fold End Return	EACH	100

LUNA ROLL TUBULAR MOTOR - 28MM BATTERY


The Luna Roll 28mm motor is a lightweight yet powerful solution for roller blinds, delivering reliable performance in a compact design, versatile enough to fit blinds as small as 500mm.



SKU	DESCRIPTION
L-RTM28	Luna Roll Tubular Motor - 28mm Battery


SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	10 W
Rated Speed	25 RPM
NM	1.1
Max. Capacity	6 SQM
Max. Weight (Typ.)	3.5 KG

DIMENSIONS



LUNA ROLL TUBULAR MOTOR - 28MM BATTERY - MK2


The Luna Roll Tubular Motor 28mm Battery MK2 is the latest evolution in the Luna motor family. This battery-operated tubular motor delivers an impressive pulling capacity of up to 10 sqm, offering reliable strength while maintaining smooth and quiet operation.



SKU	DESCRIPTION
L-RTM28-MK2	Luna Roll Tubular Motor - 28mm Battery - MK2

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	10 W
Rated Speed	25 RPM
NM	2.0
Max. Capacity	10 SQM
Max. Weight (Typ.)	6 KG

DIMENSIONS



LUNA ROLL ULTRA TUBULAR MOTOR - 32MM BATTERY


The Luna Roll Ultra 32mm Battery Tubular Motor is the quietest motor in Australia... Engineered for strength and style, not only silent, it was designed for large blinds, offering smooth movement with ultra-quiet operation.



SKU	DESCRIPTION
L-RTM32	Luna Roll Ultra Tubular Motor - 32mm Battery

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	10 W
Rated Speed	25 RPM
NM	3.0
Max. Capacity	15 SQM
Max. Weight (Typ.)	9 KG

DIMENSIONS



LUNA ROLL ULTRA TUBULAR MOTOR - 32MM HARDWIRED


The Luna Roll Ultra 32mm Hardwired is designed for direct electrical connection, making it ideal for new builds and long-term use. Perfect for homes, offices, and commercial spaces.



SKU	DESCRIPTION
L-RTM32-HD	Luna Roll Ultra Tubular Motor - 32mm Hardwired

SPECIFICATIONS	
Operation Voltage	7.4 V DC
Rated Power	10 W
Rated Speed	25 RPM
NM	3.0
Max. Capacity	15 SQM
Max. Weight (Typ.)	9 KG

DIMENSIONS



LUNA ROLL TUBULAR MOTOR

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	L-RTM28	Luna Roll Tubular Motor - 28 mm Battery	EACH	20
	L-RTM28-MK2	Luna Roll Tubular Motor - 28 mm Battery - MK2	EACH	20
	L-RTM32	Luna Roll Ultra Tubular Motor - 32mm Battery	EACH	20
	L-RTM32-HD	Luna Roll Ultra Tubular Motor - 32mm Hardwired	EACH	20
	302-007	Hardwired Molex Cable	EACH	20
	302-001	Luna 3m - USB C Charger	EACH	25

LUNA ROLL TUBULAR MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	201-005	Luna Roll Chain Connector	EACH	100
	2.5448MR	No.10 Metal Chain - Nickel Plated (150 m Roll - 410 Grade)	ROLL	1
	2.5548SSR	No. 10 Chain - Stainless Steel (150 m Roll - 410 Grade)	ROLL	1
	2.5448MBOR	No.10 Metal Chain - Black Onyx (24 m Roll)	ROLL	1
	2.5448MPWR	No.10 Metal Chain - Pure White (24 m Roll)	ROLL	1
	2.5448MGMR	No.10 Metal Chain - Gunmetal Nickel (24 m Roll)	ROLL	1

LUNA ROLL TUBULAR MOTOR COMPONENTS

All pricing excludes GST. Subject to change without notification.






	SKU	DESCRIPTION	UOM	BOX QTY
	2.5449W	Roll Chain Connector - White	EACH	1000
	2.5449BLACK	Roll Chain Connector - Black	EACH	1000
	2.5449CLEAR	Roll Chain Connector - Clear	EACH	1000
	YT-1532	Clear Round Chain Stoppers	EACH	1000
	LRC-38	Luna Motor Roman Clip 38 mm	EACH	100
	LRC-43	Luna Motor Roman Clip 43 mm	EACH	100

LUNA ROLL TUBULAR MOTOR - CROWN/DRIVE SET

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	201-001	Luna 28 mm - A Crown/Drive Set	EACH	100
	201-002	Luna 28 mm - B Crown/Drive Set	EACH	100
	201-003	Luna 28 mm - C Crown/Drive Set	EACH	100
	201-004	Luna 28 mm - D Crown/Drive Set	EACH	100
	201-006	Luna 32 mm - D Crown/Drive Set	EACH	100

LUNA ROLL TUBULAR MOTOR - CROWN GUIDE

A CROWN			B CROWN			C CROWN			D CROWN		
											
											
Suitable Motor: Luna Roll Tubular Motor - 28 mm Battery Luna Roll Tubular Motor - 28 mm Battery - MK2											
Suitable Motor: Luna Roll Tubular Motor - 28 mm Battery Luna Roll Tubular Motor - 28 mm Battery - MK2 Luna Roll Ultra Tubular Motor - 32mm Battery Luna Roll Ultra Tubular Motor - 32mm Hardwired											

		Width										Tubular Motor Size																																			
		1.50	1.60	1.70	1.80	1.90	2.00	2.10	2.20	2.30	2.40	2.50	2.60	2.70	2.80	2.90	3.00	3.10	3.20	3.30	3.40	3.50	3.60	3.70	3.80	3.90	4.00	4.10	4.20	4.30	4.40	4.50	4.60	4.70	4.80	4.90	5.00	5.10	5.20	5.30	5.40	5.50	5.60	5.70	5.80	5.90	6.00
Drop	1.50	2.25	2.40	2.55	2.70	2.85	3.00	3.15	3.30	3.45	3.60	3.75	3.90	4.05	4.20	4.35	4.50	4.65	4.80	4.95	5.10	5.25	5.40	5.55	5.70	5.85	6.00	6.15	6.30	6.45	6.60	6.75	6.90	7.05	7.20	7.35	7.50	7.65	7.80	7.95	8.10	8.25	8.40	8.55	8.70	8.85	9.00
	1.60	2.40	2.56	2.72	2.88	3.04	3.20	3.36	3.52	3.68	3.84	4.00	4.16	4.32	4.48	4.64	4.80	4.96	5.12	5.28	5.44	5.60	5.76	5.92	6.08	6.24	6.40	6.56	6.72	6.88	7.04	7.20	7.36	7.52	7.68	7.84	8.00	8.16	8.32	8.48	8.64	8.80	8.96	9.12	9.28	9.44	9.60
	1.70	2.55	2.72	2.89	3.06	3.23	3.40	3.57	3.74	3.91	4.08	4.25	4.42	4.59	4.76	4.93	5.10	5.27	5.44	5.61	5.78	5.95	6.12	6.29	6.46	6.63	6.80	6.97	7.14	7.31	7.48	7.65	7.82	7.99	8.16	8.33	8.50	8.67	8.84	9.01	9.18	9.35	9.52	9.69	9.86	10.03	10.20
	1.80	2.70	2.88	3.06	3.24	3.42	3.60	3.78	3.96	4.14	4.32	4.50	4.68	4.86	5.04	5.22	5.40	5.58	5.76	5.94	6.12	6.30	6.48	6.66	6.84	7.02	7.20	7.38	7.56	7.74	7.92	8.10	8.28	8.46	8.64	8.82	9.00	9.18	9.36	9.54	9.72	9.90	10.08	10.26	10.44	10.62	10.80
	1.90	2.85	3.04	3.23	3.42	3.61	3.80	3.99	4.18	4.37	4.56	4.75	4.94	5.13	5.32	5.51	5.70	5.89	6.08	6.27	6.46	6.65	6.84	7.03	7.22	7.41	7.60	7.79	7.98	8.17	8.36	8.55	8.74	8.93	9.12	9.31	9.50	9.69	9.88	10.07	10.26	10.45	10.64	10.83	11.02	11.21	11.40
	2.00	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60	4.80	5.00	5.20	5.40	5.60	5.80	6.00	6.20	6.40	6.60	6.80	7.00	7.20	7.40	7.60	7.80	8.00	8.20	8.40	8.60	8.80	9.00	9.20	9.40	9.60	9.80	10.00	10.20	10.40	10.60	10.80	11.00	11.20	11.40	11.60	11.80	12.00
	2.10	3.15	3.36	3.57	3.78	3.99	4.20	4.41	4.62	4.83	5.04	5.25	5.46	5.67	5.88	6.09	6.30	6.51	6.72	6.93	7.14	7.35	7.56	7.77	7.98	8.19	8.40	8.61	8.82	9.03	9.24	9.45	9.66	9.87	10.08	10.29	10.50	10.71	10.92	11.13	11.34	11.55	11.76	11.97	12.18	12.39	12.60
	2.20	3.30	3.52	3.74	3.96	4.18	4.40	4.62	4.84	5.06	5.28	5.50	5.72	5.94	6.16	6.38	6.60	6.82	7.04	7.26	7.48	7.70	7.92	8.14	8.36	8.58	8.80	9.02	9.24	9.46	9.68	9.90	10.12	10.34	10.56	10.78	11.00	11.22	11.44	11.66	11.88	12.10	12.32	12.54	12.76	12.98	13.20
	2.30	3.45	3.68	3.91	4.14	4.37	4.60	4.83	5.06	5.29	5.52	5.75	5.98	6.21	6.44	6.67	6.90	7.13	7.36	7.59	7.82	8.05	8.28	8.51	8.74	8.97	9.20	9.43	9.66	9.89	10.12	10.35	10.58	10.81	11.04	11.27	11.50	11.73	11.96	12.19	12.42	12.65	12.88	13.11	13.34	13.57	13.80
	2.40	3.60	3.84	4.08	4.32	4.56	4.80	5.04	5.28	5.52	5.76	6.00	6.24	6.48	6.72	6.96	7.20	7.44	7.68	7.92	8.16	8.40	8.64	8.88	9.12	9.36	9.60	9.84	10.08	10.32	10.56	10.80	11.04	11.28	11.52	11.76	12.00	12.24	12.48	12.72	12.96	13.20	13.44	13.68	13.92	14.16	14.40
	2.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	12.25	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	15.00
	2.60	3.90	4.16	4.42	4.68	4.94	5.20	5.46	5.72	5.98	6.24	6.50	6.76	7.02	7.28	7.54	7.80	8.06	8.32	8.58	8.84	9.10	9.36	9.62	9.88	10.14	10.40	10.66	10.92	11.18	11.44	11.70	11.96	12.22	12.48	12.74	13.00	13.26	13.52	13.78	14.04	14.30	14.56	14.82	15.08	15.34	15.60
	2.70	4.05	4.32	4.59	4.86	5.13	5.40	5.67	5.94	6.21	6.48	6.75	7.02	7.29	7.56	7.83	8.10	8.37	8.64	8.91	9.18	9.45	9.72	9.99	10.26	10.53	10.80	11.07	11.34	11.61	11.88	12.15	12.42	12.69	12.96	13.23	13.50	13.77	14.04	14.31	14.58	14.85	15.12	15.39	15.66	15.93	16.20
	2.80	4.20	4.48	4.76	5.04	5.32	5.60	5.88	6.16	6.44	6.72	7.00	7.28	7.56	7.84	8.12	8.40	8.68	8.96	9.24	9.52	9.80	10.08	10.36	10.64	10.92	11.20	11.48	11.76	12.04	12.32	12.60	12.88	13.16	13.44	13.72	14.00	14.28	14.56	14.84	15.12	15.40	15.68	15.96	16.24	16.52	16.80
	2.90	4.35	4.64	4.93	5.22	5.51	5.80	6.09	6.38	6.67	6.96	7.25	7.54	7.83	8.12	8.41	8.70	8.99	9.28	9.57	9.86	10.15	10.44	10.73	11.02	11.31	11.60	11.89	12.18	12.47	12.76	13.05	13.34	13.63	13.92	14.21	14.50	14.79	15.08	15.37	15.66	15.95	16.24	16.53	16.82	17.11	17.40
	3.00	4.50	4.80	5.10	5.40	5.70	6.00	6.30	6.60	6.90	7.20	7.50	7.80	8.10	8.40	8.70	9.00	9.30	9.60	9.90	10.20	10.50	10.80	11.10	11.40	11.70	12.00	12.30	12.60	12.90	13.20	13.50	13.80	14.10	14.40	14.70	15.00	15.30	15.60	15.90	16.20	16.50	16.80	17.10	17.40	17.70	18.00
	3.10	4.65	4.96	5.27	5.58	5.89	6.20	6.51	6.82	7.13	7.44	7.75	8.06	8.37	8.68	8.99	9.30	9.61	9.92	10.23	10.54	10.85	11.16	11.47	11.78	12.09	12.40	12.71	13.02	13.33	13.64	13.95	14.26	14.57	14.88	15.19	15.50	15.81	16.12	16.43	16.74	17.05	17.36	17.67	17.98	18.29	18.60
3.20	4.80	5.12	5.44	5.76	6.08	6.40	6.72	7.04	7.36	7.68	8.00	8.32	8.64	8.96	9.28	9.60	9.92	10.24	10.56	10.88	11.20	11.52	11.84	12.16	12.48	12.80	13.12	13.44	13.76	14.08	14.40	14.72	15.04	15.36	15.68	16.00	16.32	16.64	16.96	17.28	17.60	17.92	18.24	18.56	18.88	19.20	
3.30	4.95	5.28	5.61	5.94	6.27	6.60	6.93	7.26	7.59	7.92	8.25	8.58	8.91	9.24	9.57	9.90	10.23	10.56	10.89	11.22	11.55	11.88	12.21	12.54	12.87	13.20	13.53	13.86	14.19	14.52	14.85	15.18	15.51	15.84	16.17	16.50	16.83	17.16	17.49	17.82	18.15	18.48	18.81	19.14	19.47	19.80	
3.40	5.10	5.44	5.78	6.12	6.46	6.80	7.14	7.48	7.82	8.16	8.50	8.84	9.18	9.52	9.86	10.20	10.54	10.88	11.22	11.56	11.90	12.24	12.58	12.92	13.26	13.60	13.94	14.28	14.62	14.96	15.30	15.64	15.98	16.32	16.66	17.00	17.34	17.68	18.02	18.36	18.70	19.04	19.38	19.72	20.06	20.40	
3.50	5.25	5.60	5.95	6.30	6.65	7.00	7.35	7.70	8.05	8.40	8.75	9.10	9.45	9.80	10.15	10.50	10.85	11.20	11.55	11.90	12.25	12.60	12.95	13.30	13.65	14.00	14.35	14.70	15.05	15.40	15.75	16.10	16.45	16.80	17.15	17.50	17.										

SMART CONTROL SOLUTIONS

Two simple ways to control your motors.



LUNA SMART CONTROL MODULE

- Matter over Thread Technology
- Works with major ecosystem
- Simple setup
- Flexible smart home control



THE INFINITE HUB

- Dedicated control platform
- Whole-home automation
- Local Support

INFINTIE HUB VS MATTER

FEATURES	LUNA SMART CONTROL MODULE (MATTER)	THE INFINITE HUB
		
Best For	Flexible Smart Home Ecosystems	Complete home automation
Setup type	Scan and pair with your desired smart home platform	Configured with the Infinite Hub
Control Apps	Apple Home, Google Home, Alexa, SmartThings	Infinite Automation app
Voice Control	Siri, Google Assistant, Alexa	Google Assistant, Alexa
Remote Access	Via your chosen smart home platform	Via Infinite Automation App
Key Advantage	Open standard with broad compatibility	Dedicated platform with local support

LUNA SMART CONTROL MODULE


The Luna Smart Control Module connects directly to the Luna motor, enabling effortless integration with most smart home ecosystems, enabling multiple smart devices to connect under one system with seamless automation and voice control.



SKU	DESCRIPTION
L-SCM	Luna Smart Control Module

SPECIFICATIONS	
Input Voltage	3.3 V DC
Transmit Frequency	10 W
Control Technology	Matter over Thread
Indoor Range (typ.)	10 m
Operating Temperature	0 °C to 60 °C

DIMENSIONS



THE INFINITE HUB

All Luna Motors can integrate effortlessly with Infinite Automation's home automation system. Infinite Automation has developed a compact hub for Luna Motors, allowing each motor to connect directly through the Infinite App for seamless access and control.



SKU	DESCRIPTION
L-INF	The Infinite Hub

SPECIFICATIONS	
Input Voltage	12 V
Transmit Frequency	10 W
Control Technology	Infinite Automation
Indoor Range (typ.)	150 m
Operating Temperature	0 °C to 60 °C


LUNA ACCESSORIES

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	L-CR15	Luna 15 Channel Remote	EACH	25
	L-CR5	Luna Wall Switch 5 Channel	EACH	25
	302-002	Luna 5M - Magnetic Charger	EACH	25
	302-001	Luna 3M - USB C Charger	EACH	25
	302-007	Hardwired Molex Cable	EACH	20

LUNA ACCESSORIES

All pricing excludes GST. Subject to change without notification.

	SKU	DESCRIPTION	UOM	BOX QTY
	302-003	Luna Solar Panel Interior Type L.5WP	EACH	50
	L-SCM	Luna Smart Control Module	EACH	50
	L-INF	The Infinite Hub	EACH	1

LunaTM TECHNOLOGY

HOME AUTOMATION




WHERE IT MATTERS

TRAINING AND EDUCATION MUST BE COMPLETED AT OUR FACILITY.



YouTube Channel
@Lunatechnologyautomation



Website
www.infolunatechnology.com



Instagram
[lunatechnologyautomation](https://www.instagram.com/lunatechnologyautomation)

Email: info@infolunatechnology.com